


Декларація про відповідність

No: EKY / EBY

1. Унікальний ідентифікаційний код типу продукта: EKY / EBY
2. Цільове використання: Конструкційно-клеєні ламіновані вироби, в будівлях та мостах
3. Виробник: VELUX A/S, Ådalsvej 99, DK-2970 Hørsholm, www.velux.com
5. Системи оцінки та перевірки сталості характеристик (AVCP): Система 1
6. Узгоджений стандарт: EN 14080:2013, Уповноважений орган(ни): 0672, 2204
7. Заявлені показники:


Суттєві характеристики	Продуктивність	§	NB*
Міцність склеювання	GL24h	5.1.4.2- 5.2.5.2+5.3+5.5.5+5. 5.7	2204
Стійкість до вогню	NPD	5.7	
Реакція на вогонь	E	5.8	0672
Виділення формальдегіду	NPD	5.9	
Виділення інших небезпечних речовин	NPD	5.10	
Довговічність міцності склеювання	NPD	5.5.2+5.5.3	
Довговічність інших характеристик	NPD	5.6.1+5.6.2	
NPD: показник не визначено			
* Уповноважений орган(ни): http://ec.europa.eu/growth/tools-databases/nando/			

8. Показники виробу, визначені вище, відповідають набору заявлених характеристик. Ця декларація показників видана відповідно до Регламенту (ЄС) № 305/2011 під виключну відповідальність виробника, зазначеного вище.



Klaus Lorentzen, Vice President

Ådalsvej 99, DK 2970 – Hørsholm, 2022-12-13

 13	EKY / EBY Конструкційно-клеєні ламіновані вироби, в будівлях та мостах		Узгоджений стандарт: EN 14080:2013	
	Суттєві характеристики	Продуктивність	§	NB*
Міцність склеювання	GL24h	5.1.4.2- 5.2.5.2+5.3+5.5.5+ 5.5.7	2204	
Стійкість до вогню	NPD	5.7		
Реакція на вогонь	E	5.8	0672	
Виділення формальдегіду	NPD	5.9		
Виділення інших небезпечних речовин	NPD	5.10		
Довговічність міцності склеювання	NPD	5.5.2+5.5.3		
Довговічність інших характеристик	NPD	5.6.1+5.6.2		
NPD: показник не визначено				
* Уповноважений орган(ни): http://ec.europa.eu/growth/tools-databases/nando/				

DECLARATION OF PERFORMANCE

No: EKY / EBY

1. Unique identification code of the product type: EKY / EBY
2. Intended use/es: Structural glued laminated products, in buildings and bridges
3. Manufacturer: VELUX A/S, Ådalsvej 99, DK-2970 Hørsholm, www.velux.com
5. Systems of assessment and verification of constancy of performance (AVCP): System 1
6. Harmonised standard: **EN 14080:2013**, Notified body/ies: 0672, 2204
7. Declared performance:


Essential characteristics	Performance	§	NB*
Bonding strength	GL24h	5.1.4.2- 5.2.5.2+5.3+5.5.5+5.7	2204
Resistance to fire	NPD	5.7	
Reaction to fire	E	5.8	0672
Release of formaldehyde	NPD	5.9	
Release of other dangerous substances	NPD	5.10	
Durability of bonding strength	NPD	5.5.2+5.5.3	
Durability of other characteristics	NPD	5.6.1+5.6.2	
NPD: No performance determined			
* Notified body/ies: http://ec.europa.eu/growth/tools-databases/nando/			

8. The performance of the product identified above is in conformity with the set of declared performance/s. This declaration of performance is issued, in accordance with Regulation (EU) No 305/2011, under the sole responsibility of the manufacturer identified above.



Klaus Lorentzen, Vice President, Global Care & Cost

Ådalsvej 99, DK 2970 – Hørsholm, 2022-12-13

 13	EKY / EBY Structural glued laminated products, in buildings and bridges		Harmonised standard: EN 14080:2013	
	Essential characteristics	Performance	§	NB*
Bonding strength	GL24h	5.1.4.2- 5.2.5.2+5.3+5.5.5+ 5.5.7	2204	
Resistance to fire	NPD	5.7		
Reaction to fire	E	5.8	0672	
Release of formaldehyde	NPD	5.9		
Release of other dangerous substances	NPD	5.10		
Durability of bonding strength	NPD	5.5.2+5.5.3		
Durability of other characteristics	NPD	5.6.1+5.6.2		
NPD: No performance determined * Notified body/ies: http://ec.europa.eu/growth/tools-databases/nando/				