


Deck-Mounted Skylights

Size Chart and Codes

	1					1	1	1	2						
Model Size	A06	C01	C04	C06	C08	C12	D26	D06	M02	M04	M06	M08	S01	S06	
<i>Previous Model Size</i>	056	101	104	106	108	112	150	156	302	304	306	308	601	606	
Rough Opening (W"xH")	14 1/2 x 45 3/4	21 x 26 7/8	21 x 37 7/8	21 x 45 3/4	21 x 54 15/16	21 x 70 3/4	22 1/2 x 22 15/16	22 1/2 x 45 3/4	30 1/16 x 30	30 1/16 x 37 7/8	30 1/16 x 45 3/4	30 1/16 x 54 7/16	44 1/4 x 26 7/8	44 1/4 x 45 3/4	
Outside Frame (W"xH")	15 1/4 x 46 1/4	21 1/2 x 27 3/8	21 1/2 x 38 3/8	21 1/2 x 46 1/4	21 1/2 x 54 15/16	21 1/2 x 70 3/4	23 1/4 x 23 7/16	23 1/4 x 46 1/4	30 9/16 x 30 1/2	30 9/16 x 38 3/8	30 9/16 x 46 1/4	30 9/16 x 54 15/16	44 3/4 x 27 3/8	44 3/4 x 46 1/4	
Daylight Square Feet	Fixed:	3.56	3.56	4.43	4.43	6.52	8.52	2.78	5.94	5.15	6.64	8.13	9.77	6.92	12.36
	Vented:	—	2.27	3.50	3.50	5.34	—	—	—	4.11	5.48	6.86	8.36	5.57	10.73
Fits On Center	16"	24"	24"	24"	24"	24"	24"	24"	24"	16"	16"	16"	16"	16" or 24"	16" or 24"

¹ FS Fixed skylight only. ² Not available for VSE Electric venting skylight.



FS - Fixed skylight

VS - Manual venting skylight

VSE - Electric venting skylight

VSS - Solar Powered "Fresh Air" skylight

FS

Model

FS
VS
VSE
VSS

C06

Sizes

A06
C01
C04
C06
C08
C12
D26
D06
M02
M04
M06
M08
S01
S06

2 0 0 4

Interior finish

0 Stain grade wood
2 White
9 Special

Cladding

0 Aluminum
1 Copper
9 Special

Glazings

04 Clean, Quiet & Safe glass
05 Low E³/ Temp
06 Impact
08 White lami
10 Snowload
99 Special

Curb-Mounted Skylights

Size Chart and Codes

Venting Skylights

Model Size	2222	2234	2246	3030	3046	3434	4622 ¹	4646
Outside Curb (W"xH")	25 1/2 x 25 1/2	25 1/2 x 37 1/2	25 1/2 x 49 1/2	33 1/2 x 33 1/2	33 1/2 x 49 1/2	37 1/2 x 37 1/2	49 1/2 x 25 1/2	49 1/2 x 49 1/2
Maximum Skylight Clearance (W"xH")	26 9/16 x 26 9/16	26 9/16 x 38 9/16	26 9/16 x 50 9/16	34 9/16 x 34 9/16	34 9/16 x 50 9/16	38 9/16 x 38 9/16	50 9/16 x 26 9/16	50 9/16 x 50 9/16
Daylight Square Feet	2.58	4.20	5.92	5.27	8.29	6.89	5.92	13.13
Fits On Center	24"	24"	24"	24"	24"	16"	16" or 24"	16" or 24"

¹ Only available in VCS.


Fixed Skylights

Custom FCM sizes available. Call for more information.


Model Size	1430	1446	2222	2230	2234	2246	2270	3030	3046	3055	3434	3446	4646	4672
Outside Curb (W"xH")	17 1/2 x 33 1/2	17 1/2 x 49 1/2	25 1/2 x 25 1/2	25 1/2 x 33 1/2	25 1/2 x 37 1/2	25 1/2 x 49 1/2	25 1/2 x 73 1/2	33 1/2 x 33 1/2	33 1/2 x 49 1/2	33 1/2 x 58 1/2	37 1/2 x 37 1/2	37 1/2 x 49 1/2	49 1/2 x 49 1/2	49 1/2 x 75 1/2
Maximum Skylight Clearance (W"xH")	18 5/8 x 34 5/8	18 5/8 x 50 5/8	26 5/8 x 26 5/8	26 5/8 x 34 5/8	26 5/8 x 38 5/8	26 5/8 x 50 5/8	26 5/8 x 74 5/8	34 5/8 x 34 5/8	34 5/8 x 50 5/8	34 5/8 x 59 5/8	38 5/8 x 38 5/8	38 5/8 x 50 5/8	50 5/8 x 50 5/8	50 5/8 x 76 5/8
Daylight Square Feet	3.07	4.68	3.52	4.77	5.39	7.27	11.01	6.46	9.85	11.76	8.27	11.14	15.02	23.35
Fits On Center	16"	16"	24"	24"	24"	24"	24"	24"	24"	24"	16"	16"	16" or 24"	16" or 24"



Fixed:
FCM



Venting:
VCM
VCE
VCS



Outside Curb

Max Skylight Clearance

VCM 1446 2 0 04

Model

FCM
VCM
VCE
VCS

Sizes

1430*
1446*
2222
2230
2234
2246
2270*
3030
3046
3050*
3434
3446*
4622**
4646
4672*

*FCM only sizes
**VCS only

Interior finish

0 None (FCM)
2 White
9 Special

Cladding

0 Aluminum
9 Special

Glazings

04 Clean, Quiet & Safe glass
05 Low E³/Temp*
06 Impact
08 White lami
14 LoE³-340 Lami**
15 LoE³-340**
16 LoE³-340 Hurricane**
29 Triple Pane**
99 Special

*FCM and VCM only
**FCM only

FCM - Fixed skylight

VCM - Manual venting skylight

VCE - Electric venting skylight


VCS - Solar Powered "Fresh Air" skylight

Self-Flashed Skylights

Size Chart and Codes

QPF Fixed Skylights

Model Size	2222	2230	2246	3030	3046	4646
Rough Opening/ Finished Frame (W"xH")	22 ½ x 22 ½	22 ½ x 30 ½	22 ½ x 46 ½	30 ½ x 30 ½	30 ½ x 46 ½	46 ½ x 46 ½
Outside Flashing (W"xH")	29 ⅝ x 29 ⅝	29 ⅝ x 37 ⅝	29 ⅝ x 53 ⅝	37 ⅝ x 37 ⅝	37 ⅝ x 53 ⅝	53 ⅝ x 53 ⅝
Daylight Square Feet	2.63	3.71	5.87	5.24	8.29	13.12
Fits On Center	24"	24"	24"	16"	16"	16" or 24"



QPF - Fixed skylight

QPF 2222 2 0 04

Model
QPF

Sizes
2222
2230
2246
3030
3046
4646

Interior finish
2 White
9 Special

Cladding

0 Aluminum
9 Special


Glazings

04 Clean, Quiet & Safe glass
05 Low E²/ Temp
06 Impact
08 White lami
14 LoE³-340 Lami
15 LoE³-340
16 LoE³-340 Hurricane
99 Special

E-Class Fixed & Venting Skylights

Custom EF, EV sizes available. Model EVMS is custom size only. Call for more information.

Model Size	2222	2230	2238	2246	2254	3030	3046	3054	4646
Rough Opening (W"xH")	22 ½ x 22 ½	22 ½ x 30 ½	22 ½ x 38 ½	22 ½ x 46 ½	22 ½ x 54 ½	30 ½ x 30 ½	30 ½ x 46 ½	30 ½ x 54 ½	46 ½ x 46 ½
Outside Flashing (W"xH")	37 ½ x 37 ½	37 ½ x 45 ½	37 ½ x 53 ½	37 ½ x 61 ½	37 ½ x 69 ½	45 ½ x 45 ½	45 ½ x 61 ½	45 ½ x 69 ½	61 ½ x 61 ½
Daylight Square Feet	Fixed: 2.85 Vented: 2.71	397 3.83	5.10 5.03	6.22 6.08	7.35 7.20	5.54 5.35	8.68 8.49	10.25 10.06	13.60 13.29
Fits On Center	24"	24"	24"	24"	24"	16"	16"	16"	16" or 24"



EF - Fixed skylight

EV - Manual venting skylight

EVMS - Solar Powered "Fresh Air" skylight

EF 2246 2 0 04 B P1

Model

EF
EV
Model EVMS is custom size only. Call for more information.

Sizes

2222
2230
2238
2246
2254
3030
3046
3054
4646

All sizes may not be available in all glazing types.

Interior finish

2 White

Cladding

0 Aluminum
1 Copper
9 Special

Glazings

04 Clean, Quiet & Safe glass
06 Impact
08 White lami
11 Low E3 Laminated

Generation code

B Current generation code

Special color cladding

P1 Bone White
P3 Classic Bronze
P4 Black
R1 Silver Matte
R2 Dark Bronze Matte

Other custom color cladding options are available, call for more information.